Natural Resources Spatial Analysis Laboratory
University of Georgia

Georgia GAP
Mammals Literature Cited

Ables, E.D. 1969. Activity studies of red foxes in southern Wisconsin. J. Wildl. Manage. 33:145-153.

Ables, E.D. 1974. Ecology of the red fox in North America. Pages 148-163 in M.W. Fox, ed., The Wild Canids. Van Reinhold Co., New York. 508 p.

Adams, W.H., Jr. 1956. The nutria in coastal Louisiana. Proc. Louisiana Acad. Sci. 19:28-41.

Allen, D.L. 1943. Michigan fox squirrel management. Michigan Dept. Conserv., Game Div. Publ. 100. 404 p.

Allen, C.H., R.L. Marchinton, and W.M. Lentz. 1985. Movement, habitat use, and denning of opossums in the Georgia Piedmont. Am. Midl. Nat. 113:408-412.

Alt, G.L., et al. 1976. Home range and activity patterns of black bears in northeastern Pennsylvania. Trans. Northeast. Sect. Wildl. Soc. 33:45-56.

Ambrose, J., S. Bratton, K. Davison, L. Fitch, M. Goigel, F. Golley, J. McMurtry, W. Querin, and D. Simon. 1983. An analysis of feral horse population structure on Cumberland Island. CPSU-Technical Report 1. NPS Cooperative Unit, Univ. of Georgia. 12 p.

Andrle, J.B. 1981. Habitat use and relative abundance of the small mammals of a South Carolina barrier island. Brimleyana 5:129-134.

Atkeson, T.D. and A.S. Johnson. 1979. Succession of small mammals on pine plantations in the Georgia Piedmont. Am. Midl. Nat. 101:385-392.

Atwood, E.L. 1960. Life history studies of nutria, or coypu, in coastal Louisiana. J. Wildl. Manage. 14:249-265.

Bakken, A.A. 1952. Interrelationships of *Sciurus carolinensis* (Gmelin) and *Sciurus niger* (Linnaeus) in mixed populations. Ph.D. diss., Univ. Wisconsin, Madison. 188 p.

Barbour, R.W. and W.H. Davis. 1969. Bats of America. Univ. Kentucky Press, Lexington. 286 p.

Bat Conservation International. 2001. Http://www.batcon.org/, Bat Conservation International, Inc., Austin, TX.

Baumgartner, L.L. 1943. Fox squirrels in Ohio. J. Wildl. Manage. 7:193-202.

Beeman, L.E. and M.R. Pelton. 1976. Homing of black bears in the Great Smoky Mountains National Park. Pages 87-95 in Pelton et al., Bears: their biology and management. 3rd Int. Conf. Bear Res. And Manage. IUCN Publ. New Series no. 40.

Beer, J.R. 1950. Least weasel in Wisconsin. J. Mammal. 31:146-149.

Bekoff, M. 1977. Canis latrans. Mammalian Species No. 79. Am. Soc. Mammal., New York.

Bekoff, M. 1978. Coyotes: biology, behavior and management. Academic Press. New York. 384 p.

Bekoff, M. 1982. Coyote. Pages 447-459 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Bekoff, M. and M.C. Wells. 1980. Social ecology and behavior of coyotes. Sci. Am. No. 242:130-148.

Belwood, J.J. 1992. Southeastern big-eared bat. Pages 287-293 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Belwood, J.J. 1992. Southeastern brown bat. Pages 335-342 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Belwood, J.J. 1992. Brazilian free-tailed bat. Pages 357-368 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Bendel, P.R. and J.E. Gates. 1987. Home range and microhabitat partitioning of the Southern flying squirrel Glaucomys volans. Journal of Mammalogy 68:243-255.

Beneski, J.T. and D.W. Stinson. 1987. Sorex Palustris. Mammalian Species No. 296. Am. Soc. Mammal., New York.

Berger, P.J. and N.C. Negus. 1981. Population dynamics of *Rattus rattus* and *R. norvegicus* in a riparian habitat. Journal of Mammalogy 63:151-154.

Bergstrom, B.J., T. Farley, H.L. Hill, Jr., and T. Hon. 2000. Ecology and conservation of a frontier population of the round-tailed muskrat (*Neofiber alleni*). Pages 74-82 in B.R. Chapman and J. Laerm, eds., Fourth colloquium on conservation of

mammals in the Southeastern United States. Occasional Papers of the North Carolina State Museum of Natural Sciences, No. 12.

Besnady, C.D. 1057. Bushytail business. Wisconsin Conserv. Bull. 22:17-19.

Best, T.L. and J.B. Jennings. 1997. Myotis leibii. Mammalian Species No. 547. Am. Soc. Mammal., New York.

Best, T.L., S.D. Carey, K.G. Caesar, and T.H. Henry. 1992. Distribution and abundance of bats in the Coastal Plain caves of southern Alabama. NSS Bulletin 54:61-65.

Birkenholz, D.E. 1962. A study of the life history and ecology of the round-tailed muskrat (*Neofiber alleni True*) in north-central Florida. Ecol. Monogr. 33:255-280.

Birkenholz, D.E. 1972. Neofiber alleni. Mammalian Species No. 15. Am. Soc. Mammal., New York.

Blumenthal, E.M. and G.L. Kirkland, Jr. 1976. The biology of the opossum, *Didelphis virginiana*, in Southcentral Pennsylvania. Proc. Pennsylvania Acad. Sci. 50:81-85.

Blymyer, M.J. 1976. A new elevation record for the New England cottontail (*Sylvilagus transitionalis*) in Virginia. Chesapeake Sci. 17:197-207.

Brack, V. 1984. The foraging ecology of some bats in Indiana. Proceedings Indiana Academy of Sci. 94:231-237.

Breidling, F.E., F.P. Day, and R.K. Rose. 1983. An evaluation of small rodents in four Dismal Swamp plant communities. Virginia J. of Sci. 34:14-28.

Brody, A.J. and M.R. Pelton. 1989. Effects of roads on black bear movement in western North Carolina. Wildlife Soc. Bull. 17:5-10.

Brown, L.N. 1993. Presence of the southern bog lemming (*Synaptomys cooperi*) and hairy-tailed mole (Parasclops breweri) in Georgia. Georgia J. of Sci. 51:112.

Brown, L.N. 1997. A guide to the mammals of the southeastern United States. Univ. of Tennessee Press, Knoxville. 236 p.

Bunch, M.S. and A.S. Dye. 1999. Bat, woodrat and New England cottontail survey and technical guidance. Unpublished report, South Carolina Department of Natural Resources.

Burt, W.H. and R.P. Grossenheider. 1980. A field guide to the mammals of North America north of Mexico. Houghton Mifflin, Boston. 289 p.

Burt, J.L. and J.B. Jennings. 1997. *Myotis leibii*. Mammalian Species No. 547. Am. Soc. Mammal., New York.

Cameron, G.N. and Pencer, S.R. 1981. Sigmodon hispidus. Mammalian Species No. 158. Am. Soc. Mammal., New York.

Carlock, D., J. Ezell, G. Balckcom, W. Abler, P. Dupree, and D. Forster. 1999. Black bear management plan for Georgia. Georgia Department of Nat. Res., Wildl. Res. Div., Social Circle, GA. 24 p.

Chabreck, R.H., et al. 1981. Foods and feeding habits of nutria in brackish marsh in Louisiana. Pages 531-543 in J.A. Chapman and D. Pursley, eds., Worldwide furbearer conference proceedings, Vol. 1. Worldwide Furbearer Conf., Inc., Frostburg, MD.

Chapman, J.A. 1975. *Sylvilagus transitionalis*. Mammalian Species No. 55. Am. Soc. Mammal., New York.

Chapman, J.A. and G.A. Feldhammer. 1981. *Sylvilagus aquaticus*. Mammalian Species No. 151. Am. Soc. Mammal., New York.

Chapman, J.A. and R.P. Morgan. 1973. Systematic status of the cottontail complex in western Maryland and nearby West Virginia. Wildl. Monogr. 36:1-54.

Chapman, J.A. and J.R. Stauffer. 1981. The status and distribution of the New England cottontail. Pages 973-983 in K. Meyers and D.D. MacInnes, eds., Proc. of the world Lagomorph conference, Univ. Guelph, Ontario.

Chapman, J.A. and G.R. Wilner. 1981. *Sylvilagus palustris*. Mammalian Species No. 153. Am. Soc. Mammal., New York.

Chapman, J.A. et al. 1982. Cottontails. Pages 83-123 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Chapman, J.A., J.G. Hockman and M.M. Ojeda.. 1980. *Sylvilagus floridanus*. Mammalian Species No. 136. Am. Soc. Mammal., New York.

Chesemore, D.L. 1975. Ecology of fox and gray squirrels (*Sciurus niger* and *Sciurus carolinensis*) in Oklahoma. Ph.D. diss. Oklahoma State Univ., Stillwater. 370 p.

Clark, J.D., J.E. Dunn, and K.G. Smith. 1993. A multivariate method of female black bear habitat use for a geographic system. J. Wildl. Manage. 57:519-526.

Cordes, C.L. and F.S. Barkalow, Jr. 1973. Home range and dispersal in a North Carolina gray squirrel population. Proc. Annual Conf. Southeastern Assoc. Fish Game Comm. 26:124-135.

Cothran, E.G., M.H. Smith, J.D. Woldd, and J.B. Gentry. 1991. Mammals of the Savannah River Site. National Environmental Research Park Program, Aiken, SC.

Cox, J., R. Kautz, M. MacLaughlin, and T. Gilbert. 1994. Closing the gaps in Florida's wildlife habitat conservation system. Florida Game and Freshwater Fish Commission, Tallahassee, FL.

Crabb, W.D. 1948. The ecology and management of the prairie spotted skunk in Iowa. Ecol. Monogr. 18:201-232.

Cunningham, E.R. 1962. A study of the eastern raccoon *Procyon lotor* (L.) on the Atomic Energy Commission Savannah River Plant. M.S. thesis. Univ. Georgia. 55 p.

Dalke, P.D. 1937. A preliminary report of the New England cottontail studies. Trans. North Am. Wildl. Conf. 2:542-548.

Davis, W.B. 1942. The moles of Texas. Am. Midl. Nat. 27:380-386.

Davis, W.B. 1945. Texas skunks. Texas Game and Fish 3:8-11, 25-26.

Davis, D.E. 1953. The characteristics of rat populations. Q. Rev. Bio. 28:373-401.

Davis, D.E. 1953. Analysis of home range from recapture data. J. Mammal. 34:352-358.

Davis, D.W. 1969. The behavior and population dynamics of the red squirrel, *Tamiasciurus hudsonicus*, in Saskatchewan. Ph.D. diss. Univ. of Arkansas, Fayetteville. 222 p.

Davis, R.B., et al. 1962. Mexican free-tailed bats in Texas. Ecol. Monogr. No. 32:311-346.

Decher, J. and J.R. Choate. 1995. *Myotis griescens*. Mammalin Species No. 510. Am. Soc. Mammal., New York.

Doebel, J.H., and B.S. McGinnes. 1974. Home range and activity of a gray squirrel population. J. Wildl. Manage. 38:860-867.

Dolan, P.G. and D.C. Carter. 1977. *Glaucomys volans*. Mammalian Species No. 78. Am. Soc. Mammal, New York.

Donohoe, R.W. and R.O. Beal. 1972. Squirrel behavior as determined by radiotelemetry. Ohio Dept. Nat. Res. Fish Wildl. Rep. 2. 20 p.

Dozier, H.L. and H.E. Hall. 1944. Observations on the Bryant fox squirrel. Maryland Conserv. 21:2-7.

Ecke, D.H. 1954. An invasion of Norway rats in southwest Georgia. J. Mammal. 35:521-525.

Elliott, M.J. 2001. Green salamander surveys, Chattahoochee National Forest, Fall 2001. Unpublished report to U.S. Forest Service.

Errington, P.L. 1963. The decline of a muskrat population. J. Wildlife Manage. 27:1-8.

Faust, B.F., M.H. Smith, and W.B. Wray. 1971. Distances moved by small mammals as an apparent function of grid size. Acta Theriologica 16:161-177.

Fenton, M.B. and R.M. Barclay. 1980. *Myotis lucifugus*. Mmmalian Species No. 142. Am. Soc. Mammal., New York.

Fisher, J. 1975. The plains dog moves east. Nat. Wildl. 13:14-16.

Fitch, J.H. and K.A. Shump. 1979. *Myotis keenii*. Mammalian Species No. 121. Am.Soc. Mammal., New York.

Fitch, H.S., et al. 1952. The armadillo in the southeastern United States. J. Mammal. 33:21-37.

Flyger, V. 1960. Movements and home range of the gray squirrel, *Sciurus carolinensis*, in two Maryland woodlots. Ecology 41:365-369.

Flyger, V. and J.E. Gates. 1982. Fox and gray squirrels. Pages 209-229 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Flyter, V. and J.E. Gates. 1982. Pine squirrels. Pages 230-238 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Follman, E.H. 1973. Comparative ecology and behavior of red and gray foxes. Ph.D. diss. Southern Illinois Univ, Carbondale.

Ford, W.M., J. Laerm, D.C. Weinand, and K.G. Barker. 1994. Abundance and distribution of shrews and other small mammals in the Chattahoochee National Forest of Georgia. Proc. Ann. Conf. SE Fish and Wildl. Agencies 48:310-320.

Forys, E. 1995. Metapopulations of marsh rabbits: a population viability analysis for the Lower Keys marsh rabbit. Unpublished paper. University of Florida, Gainesville.

French, T.W. 1980. *Sorex longirostris*. Mammalian Species No. 143. Am. Soc. Mammal., New York.

French, T.W. 1980. Natural history of the southeastern shrew, Sorex longirostris. Am. Midl. Nat. 104:13-31.

Fritzell, E.K. and K.J. Haroldson. 1982. *Urocyon cinereoargenteus*. Mammalian Species No. 189. Am. Soc. Mammal., New York.

Fujita, M.S. and T.H. Kunz. 1984. *Pipistrellus subflavus*. Mammalian Species No. 228. Am. Soc. Mammal., New York.

Fuller, T.K. 1978. Variable home-range sizes of female gray foxes. J. Mammal. 59:446-449.

Galbreath, G.J. 1982. Armadillo. Pp. 71-79 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Gardner, A.L. 1982. Virginia Oppossum. Pp 3-36 in J.A. Chapman and G.A. Feldhamer, eds., in Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Garshelis, D.L. 1978. Movement, ecology and activity behavior of black bears in the Great Smoky Mountains National Park. M.S. thesis. Univ. Tennessee, Knoxville.

Garshelis, D.L. and M.R. Pelton. 1980. Activity of black bears in the Great Smoky Mountains National Park. J. Mammal. 61:8-19.

Gentry, J.B., F.B. Golley, and M.H. Smith. 1971. Yearly fluctuations in small mammal populations in a southeastern United States hardwood forest. Acta Theriologica 15:179-190.

George S.B., J.R. Choate, and Genoways. 1986. *Blarina brevicauda*. Mammalian Species No. 261. Am. Soc. Mammal., New York.

Getz, L.L. 1961. Factors influencing the local distribution of shrews. Am. Midl. Nat. 65:67-88.

Gipson, P.S., and J.A. Sealander. 1972. Home range and activity of the coyote (*Canis latrans frustror*) in Arkansas. Proc. Annu. Conf. Southeast. Assoc. Fish and Game Comm. 26:82-95.

Godin, A.J. 1982. Striped and hooded skunks. Pp. 674-687 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Golley, F.B. 1962. Mammals of Georgia: a study of their distribution and functional role in the ecosystem. University of Georgia Press, Athens, GA.

Gore, J.A. 1992. Gray bat. Pages 63-70 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Gore, J.A. 1992. Big brown bat. Pages 343-348 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Graves, H.B. and K.L. Graves. 1977. Some observations of biobehavioral adaptations of swine. Pages 102-110 in G.W. Wood, ed., Research and management of wild hog populations: proceedings of a symposium. Belle W. Baruch For. Sci. Inst., Clemson Univ., S.C.

Grizzell, R.A., Jr. 1955. A study of the southern woodchuck, *Marmota monax monax*. Am. Midl. Nat. 53:257-293.

Hall, R. 1972. Wild horse biology and alternatives for management, Pryor Mountain wild horse range. Bur. Land Manage., Billings Dist. 67 p.

Hall, H.T. and J.D. Newsome. 1976. Summer home ranges and movements of bobcats in bottomland hardwoods of southern Louisiana. Proc. Annu. Conf. Southeast Assoc. Fish Wildl. Agencies 30:427-436.

Hallet, J.G. 1978. Parasclops breweri. Mammalian Species No. 98. Am. Soc. Mammal., New York.

Hamilton, R.J. 1978. Ecology of the black bear in southeastern North Carolina. M.S. Thesis. Univ. Georgia, Athens.

Hanson, R.P. and L. Karstad. 1959. Feral swine in the southeastern United States. J. Wildl. Manage. 23:64-74.

Harris, S. 1977. Distribution, habitat utilization and age structure of a suburban fox (*V. vulpes*) population. Mammal. Rev. 7:25-29.

Harris, V.T. and F. Webert. 1962. Nutria feeding activity and its effect on marsh vegetation in southwestern Louisiana. Spec. Sci. Rep. Wildl. 64:1-53.

Hart, J.A., G.L. Kirkland, and S.C. Grossman. 1993. Relative abundance and habitat use by tree bats, Lasiurus spp., in southcentral Pennsylvania. Can. Field-Nat. 107:208-212.

Harvey, M.J. 1976. Home range, movements and diel activity of the eastern mole, *Scalopus aquaticus*. Am. Midl. Nat. 95:436-445.

Hayes, J.P. and R.G. Harrison. 1992. Variation in mitochondrial DNA and the biogeographic history of woodrats (Neotoma) of the Eastern United States. Syst. Biol. 41:331-344.

Hay-Smith, L. 1995. *Neotoma floridana floridana*: Natural history, ecology, and movements in north-central Florida. Bull. of the Fla. Mus. of Nat. History. 38:211-244.

Hellegren, E.C. and M.R. Vaughan. 1990. Range dynamics of black bears in Great Dismal Swamp, Virginia-North Carolina. Proc. Annual Conf. Southeast. Assoc. Fish and Wildl. Agencies 44:268-278.

Hesselton, W.T. and R.M. Hesselton. 1982. Pages 878-901 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Hill, E. P. 1982. Beaver. Pages 256-281 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Hoffmann, C.O., and J.L. Gottschang. 1977. Numbers, distribution and movements of a raccoon population in a suburban residential community. J. Mammal. 58:623-636.

Holler, N.R. and C.H. Conaway. 1979. Reproduction of the marsh rabbit (*Sylvilagus palustris*) in south Florida. J. Mammal. 60:769-777.

Holzman, S., M.J. Conroy, and J. Pickering. 1992. Home range, movements, and habitat use of coyotes in southcentral Georgia. Journal of Wildl. Manage. 56:139-146.

Hougart, B. 1975. Activity patterns of radio-tracked gray squirrels. M.S. Thesis. Univ. Maryland, College Park.

Howard, W.E. and R.E. Marsh. 1982. Spotted and hog-nosed skunks. Pages 664-673 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Howell, J.C. 1954. Populations and home ranges of small mammals on an overgrown field. Journal of Mammalogy 35:177-186.

Humphrey, S.R. 1974. Zoogeography of the nine-banded armadillo (*Dasypus novemcinctus*) in the United States. BioScience 24:457-462.

Humphrey, S.R. 1978. Status, winter habitat, and management of the endangered Indiana bat, *Myotis sodalis*. Florida Sci 41:65-76.

Humphrey, S.R. Bats. Pages 52-70 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Humphrey, S.R. 1992. Indiana bat. Pages 54-62 in S.R. Humphrey, ed., Rare and endangered biota of Florida, Vol. I: Mammals. Univ. of Florida Press, Gainesville.

Humphrey, S. R. and J.B. Cope. 1976. Population ecology of the little brown bat, *Myotis lucifugus*, in Indiana and north-central Kentucky. Am. Soc. Mamm. Spec. Publ. 4:1-81.

Humphrey, S.R. et al. 1977. Summer habitat and ecology of the endangered Indiana bat, *Myotis sodalis*. J. Mammal. 58:334-346.

Jackson, H.H.T. 1961. Mammals of Wisconsin. Univ. Wisconsin Press, Madison. 504 p.

Jackson, W.B. 1982. Norway Rat and Allies. Pages 1077-1098 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Janes, D.W. 1959. Home range and movements of the eastern cottontail in Kansas. Univ. Kansas Publ., Mus. Nat. Hist. 10:553-572.

Jenkins, J.H. 1971. The status and management of the bobcat and cougar in the southeastern states. Pages 87-91 in S.E. Jorgensen and L.D. Mech, eds., Proc. of the symposium on native cats of North America. U.S. Fish and Wildl. Serv., Twin Cities, MN.

Jenkins, S.H. and P.E. Busher. 1979. *Castor canadensis*. Mammalian Species No. 120. Am. Soc. Mammal., New York.

Johnson, M.L. and S. Johnson. 1982. Voles. Pages 326-354 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Jones, C. 1977. Plecotus rafinesquii. Mammalian Species No. 69. Am.Soc. Mammal., New York.

Jones, C. and R.W. Maning. 1989. *Myotis austroriparius*. Mammalisn Species No. 332. Am. Soc. Mammal., New York.

Kaufmann, J.H. 1982. Raccoon and allies. Pages 567-585 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Kern, W.H. 1992. Northern yellow bat. Pages 349-356 in Rare and endangered biota of Florida, Vol. I: Mammals (S.R. Humphrey, ed.). Gainesville, Univ. of Florida Press.

Kight, J. 1962. An ecological study of the bobcat (*Lynx rufus Schreber*) in west-central South Carolina. M.S. thesis, Univ. Georgia, Athens.

King, C.M. 1975. The home range of the weasel (*Mustela nivalis*) in an English woodland. J. Animal Ecol. 44:639-668.

King, K.J. 1982. The effects of prescribed burning and thinning in natural Piedmont loblolly-shortleaf pine stands on small mammal populations. M.S. thesis, Univ. Georgia, Athens.

Kinlaw, A. 1995. *Spilogale putorius*. Mammalian Species No. 511. Am. Soc. Mammal., New York.

Kirkland, G.L., Jr. 1981. *Sorex dispar* and *Sorex gaspensis*. Mammalian Species No. 155. Am. Soc. Mammal., New York.

Komarek, E.V., and Komarek, R. 1938. Mammals of the Great Smoky Mountains. Bull. Chicago Acad. Sci. 3:137-162.

Koprowski, J.L. 1994. *Sciurus niger*. Mammalian Species No. 479. Am. Soc. Mammal., New York.

Koprowski, J.L. 1994. *Sciurus carolinensis*. Mammalian Species No. 480. Am. Soc. Mammal., New York.

Kunz, T.H. 1982. *Lasionycteris noctivigans*. Mammalisn Species No. 172. Am. Soc. Mammal., New York.

Kurta, A. and R.H. Baker. 1990. *Eptesicus fuscus*. Mammalisn Species No. 356. Am. Soc. Mammal., New York.

Kurz, J.C. and R.L. Marchinton. 1972. Radiotelemetry studies of feral hogs in South Carolina. J. Wild. Manage. 36:1240-1248.

Kwiecinski, G.C. 1998. *Marmota monax*. Mammalian Species No. 591. Am. Soc. Mammal., New York.

Lackey, J.L., D.G. Huckaby and B.G. Ormiston. 1985. *Peromyscus leucopus*. Mammalian Species No. 247. Am. Soc. Mammal., New York.

Laerm, J. 1992. Georgia's rarest mammal. Georgia Wildlife 2:46-53.

Laerm, J., G. Livingston, C. Spencer, and B. Stuart. 1997. *Condylura cristata* in the Blue Ridge province of western South Carolina. Brimleyana 24:46-49.

Laerm, J. and J.L. Boone. 1995. Corrections of records of occurrence of *Peromyscus polionotus* and *P. gossypinus* in the Blue Ridge province of Georgia. Brimleyana 22:9-14.

Laerm, J., E. Brown, M.A. Menzel, A. Wotjalik, W.M. Ford, and M. Strayer. 1995. The masked shrew, **Sorex cinereus**, and red-backed vole, *Clethrionomys gapperi*, in the Blue Ridge province of South Carolina. Brimleyana 22:15-21.

Laerm, J., C.H. Wharton, and W.M. Ford. 1995. First record of the water shrew, *Sorex palustris*, in Georgia, with comments on its distribution and status in the southern Appalachians. Brimleyana 22:47-51.

Laerm, J., C.H. Wharton, and W.M. Ford. 1997. The rock shrew, *Sorex dispar*, in Georgia, with comments on its conservation status in the southern Appalachians. Brimleyana 24:1-5.

Lariviere, S. and M. Pasitschniak-Arts. 1996. *Vulpes vulpes*. Mammalian Species No. 537. Am. Soc. Mammal., New York.

Lariviere, S. and L.R. Walton. 1997. *Lynx rufus*. Mammalian Species No. 563. Am. Soc. Mammal., New York.

Lariviere, S. and L.R. Walton. 1998. *Lontra canadensis*. Mammalian Species No. 587. Am. Soc. Mammal., New York.

Lauhachinda, V. 1978. Life h istory of the river otter in Alabama with emphasis on food habits. Ph.D. diss. Auburn Univ., Auburn, AL.

LaVal, R.K., et al. 1977. Foraging behavior and nocturnal activity patterns of Missouri bats, with emphasis on the endangered species, *Myotis grisescens* and *Myotis sodalis*. J. Mammal. 58:592-599.

LaVal, R.K. 1973. Observations on the biology of *Tadarida brasiliensis cynocephala* in southeastern Louisiana. Am. Midl. Nat. 89:112-120.

LaVal, R.K. and M.K. Laval. 1979. Notes on reproduction, behavior and abundance of the red bat, *Lasiurus borealis*. J. Mammal. 60:209-212.

Lay, D.W. 1942. Ecology of the oppossum in eastern Texas. J. Mammal. 23:147-159.

Layne, J.N. and D. Glover. 1977. Home range of the armadillo in Florida. J. Mammal. 58:411-413.

Lee, D.S., J.B. Funderburg, and M.K. Clark. 1982. A distributional survey of North Carolina mammals. North Carolina Biological Survey, Raleigh.

Lenarz, M. 1983. Population size, movements, habitat preferences, and diet of the feral horses of Cumberland Island National Seashore. CPSU-Technical Report 3. NPS Cooperative Unit, Univ. of Georgia, Athens.

Linscombe, G., N. Kinler and R.J. Aulerich. 1982. Mink. Pages 629-643 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Linzey, A.V. and D.W. Linzey. 1971. Mammals of the Great Smoky Mountains National Park. University of Tennessee Press, Knoxville.

Linzey, D.W. and R.L. Packard. 1977. *Ochrotomys nuttali*. Mammalian Species No. 75. Am. Soc. Mammal., New York.

Litvaitis, J. A., J. A. Sherburne, and J. A. Bissonette. 1986. Bobcat habitat use and home range size in relation to prey density. J. Wildl. Manage. 50:110-117.

Llewellyn, L.M. and F.H. Dale. 1964. Notes on the ecology of the oppossum in Maryland. J. Mammal. 45:113-122.

Long, C.A. 1974. *Microsorex hoyi* and *Microsorex thompsoni*. Mammalian Species No. 33. Am.Soc. Mammal., New York.

Lord, R.D. 1961. A population study of the gray fox. Am. Midl. Nat. 66:87-109.

Lotze, J. and S. Anderson. 1979. Procyon lotor. Mammalian Species No. 119. Am. Soc. Mammal., New York.

Lowe, C.E. 1958. Ecology of the swamp rabbit in Georgia. J. Mammal. 39:116-127.

Lowery, G.H., Jr. 1974. The mammals of Louisiana and its adjacent waters. Louisiana State Univ. Press. Baton Rouge. 565 p.

Marshall, A.D., and J.H. Jenkins. 1966. Movements and home ranges of bobcats as determined by radio-tracking in the upper coastal plain of west-central South Carolina. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 20:206-214.

Mcbee, K. and R.J. Baker. 1982. *Dasypus novemcinctus*. Mammalian Species No. 162. Am. Soc. Mammal., New York.

McCord, C.M. 1974. Selection of winter habitat by bobcats (*Lynx rufus*) on the Quabbin Reservation, Massachusetts. J. Mammal. 55:428-437.

McCord, C.M. and J.E. Cardoza. 1982. Bobcat and lynx. Pages 728-766 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

McDaniel, J.C. 1963. Otter population study. Proc. Southeast. Assoc. Fish Game Comm. 17:163-168.

McManus, J.J. 1974. *Didelphis virginiana*. Mammalian Species No. 40. Am. Soc. Mammal., New York.

Menzel, M.A., J.C. Carter, B.R. Chapman, and J. Laerm. 1998. Quantitative comparison of tree roosts used by red bats (*Lasiurus borealis*) and Seminole bats (*L. seminolus*). Canadian J. of Zool. 76:630-634.

Menzel, M.A., W.M. Ford, J. Laerm, and D. Krishon. 1999. Forest to wildlife opening: habitat gradient analysis among small mammals in the southern Appalachians. Forest Ecol. and Manage. 114:227-232.

Menzel, M.A., B.R. Chapman, W.M. Ford, J.M. Menzel, and J. Laerm. 2000. A review of the distribution and roosting ecology of bats in Georgia. Georgia J. of Sci. 58:143-178.

Merritt, J.F. 1981 *Clethrionomys gapperi*. Mammalian Species No. 146. Am. Soc. Mammal., New York.

Miller, H.A. 1961. Page 1 in K. Halls and R..H. Ripley, eds., Deer browse plants of southern forests. Southern and Southeastern For. Exp. Stns., U.S. Forest Service.

Miller, S.D. 1980. The ecology of the bobcat in southern Alabama. Ph.D. Diss. Auburn Univ., Auburn, AL.

Miller, S.D. and D.W. Speake. 1978. Prey utilization by bobcats on quail plantations in south Alabama. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 32:100-111.

Miller, S.D. and D.W. Speake. 1978. Status of the bobcat: an endangered species? Pages 145-153 in R. Odom and L. Landers, eds., Proc. Rare and Endangered Wildl. Symp., Athens, GA.

Mills, R.S. et al. 1975. Population dynamics of the big brown bat (*Eptesicus fuscus*) in southwestern Ohio. J. Mammal. 56:591-604.

Mitchell, M.S., K.S. Karriker, E.J. Jones, and R.A. Lancia. 1995. Small mammal communities associated with pine plantation management of pocosins. Journal Wildl. Manage. 59:875-881.

Moore, J.C. 1949. Notes on the shrew, *Sorex cinereus*, in the southern Appalachians. Ecology 30:234-237.

Mowbray, E.E., J.A.Chapman and J.R. Goldsberry. 1976. Preliminary observations on otter distribution and habitat preferences in Maryland with descriptions of other field sign. Northeast Fish Wildl. Conf. 33:125-131.

Mumford, R.E. 1969. Distribution of mammals of Indiana. Indiana Acad. Sci., Indianapolis. 114 p.

Mykatka, J.M. and M.R. Pelton. 1990. Management strategies for Florida black bears based on home range habitat composition. International Conf. Bear Res. and Manage. 8:161-167.

Odum, E.P. 1949. Small mammals of the Highlands (North Carolina) Plateau. J. Mammal. 30:179-192.

Owen, J.G. 1984. *Sorex fumeus*. Mammalian Species No. 215. Am. Soc. Mammal., New York.

Ozier, J.C. 1999. Rafinesque's big-eared bat. Pages 11-12 in J.C. Ozier, et al., eds., Protected animals of Georgia. Georgia Dept. of Natural Res., Wildlife Res. Div., Social Circle, GA.

Ozier, J.C. 1999. Gray bat. Pages 21-22 in J.C. Ozier, et al., eds., Protected animals of Georgia. Georgia Dept. of Natural Res., Wildlife Res. Div., Social Circle, GA.

Ozier, J.C. 1999. Indiana bat. Pages 23-24 in J.C. Ozier, et al., eds., Protected animals of Georgia. Georgia Dept. of Natural Res., Wildlife Res. Div., Social Circle, GA.

Ozier, J.C. 1999. Round-tailed muskrat. Pages 25-26 in J.C. Ozier, et al., eds., Protected animals of Georgia. Georgia Dept. of Natural Res., Wildlife Res. Div., Social Circle, GA.

Ozier, J.C. 1999. Appalachian cottontail. Pages 27-28 in J.C. Ozier, et al., eds., Protected animals of Georgia. Georgia Dept. of Natural Res., Wildlife Res. Div., Social Circle, GA.

Pagels, J.F. 1987. The pygmy shrew, rock shrew and water shrew: Virginia's rarest shrews. Virginia J. of Sci. 38:364-368.

Palmisano, A.W., Jr. 1972. The distribution and abundance of muskrats (*Ondatra zibethicus*) in relation to vegetative types in Louisiana coastal marshes. Proc. Southeast. Assoc. Game and Fish Comm. 26:160-177.

Palmisano. A.W. 1972. Habitat preference of waterfowl and fur animals in the northern gulf coast marshes. Proc. Coastal Marsh and Estuary Manage. Symp. 2:163-190.

Pelton, M.R. 1982. Black Bear. Pages 504-514 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Pembleton, E.F. and S.L. Williams. 1978. *Geomys pinetis*. Mammalian Species No. 86. Am. Soc. Mammal., New York.

Perry, H.R., Jr. 1982. Muskrats. Pages 282-325 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Peterson, K.E. and T.L. Yates. 1980. *Condylura cristata*. Mammalian Species No. 129. Am.Soc. Mammal., New York.

Poole, E.L. 1940. A life history sketch of the Allegheny woodrat. J. Mammal. 21:249-270.

Reed, A.W. and M.L. Kennedy. 2000. Conservation status of the Eastern spotted skunk *Spilogale putorius* in the Appalachian mountains of Tennessee. Am. Midl. Nat. 144:133-138.

Reich, L.M. 1981. *Microtus pennsylvanicus*. Mammalian Species No. 159. Am. Soc. Mammal., New York.

Rust, C.C. 1966. Notes on the star-nosed mole (*Condylura cristata*). J. Mammal. 47:538.

Robicheaux, B.L. 1978. Ecological implications of variably spaced ditches on nutria in a brackish marsh, Rockefeller Refuge, Louisiana. M.S. thesis. Louisiana Tech. Univ., Ruston, LA.

Robinson, S.S. and D. S. Lee. 1980. Recent range expansion of the woodchuck, *Marmota monax*, on the Southeast. Brimleyana 3:43-48.

Rudis, V.A. and J.B. Tansey. 1995. Regional assessment of remote forests and black bear habitat from forest resource surveys. J. Wildl. Manage. 59:170-180.

Russell, C.R. and I.M. Russell. 1999. Microhabitat selection by small mammals in a southern Appalachian fen in the USA. Wetlands Ecology and Management 7:219-224.

Ryden, H. 1970. America's last wild horses. Dutton, New York. 311 p.p.

Slaughter, B.H. 1961. The significance of *Dasypus bellus* in Pleistocene local faunas. Texas J. Sci. 13:311-315.

Samuel, D.E. and B.B. Nelson. 1982. Foxes. Pages 475-490 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Schowalter, D.B. et al. 1979. Life history characteristics of little brown bats (*Myotis lucifigus*). Alberta. Can. Field. Nat. 93:243-251.

Schwartz, A. and E.P. Odum. 1957. The woodrars of the eastern United States. J. Mammal. 38:197-206.

Schwartz, C.W., E.R. Schwartz. 1981. The Wild mammals of Missouri (2nd Ed.). Univ. of Missouri Press and Missouri Conserv. Dept., Columbia, MO. 356 p.

Shadowen, H. E. 1963. A live trap study of small mammals in Louisiana. Journal Mammal. 44:103-108.

Sheffield, S.R. and C.M. King. 1994. *Mustela nivalis*. Mammalian Species No. 454. Am. Soc. Mammal., New York.

Sheffield, S.R. and H.H. Thomas. 1997. *Mustela frenata*. Mammalian Species No. 570. Am. Soc. Mammal., New York.

Shirley, M.G., et al., 1981. Foods of nutria in fresh marshes of southeastern Louisiana. Pages 517-530 in J.A. Chapman and D. Pursley, eds., Worldwide furbearer conference procedings, Vol. 1. Worldwide Furbearer Conf., Inc., Frostburg, MD.

Shump, K.A. and A.U. Shump. 1982. *Lasiurus borealis*. Mammalian Species No. 183. Am. Soc. Mammal., New York.

Shump, K.A. and A.U. Shump. 1982. *Lasiurus cinereus*. Mammalian Species No. 185. Am. Soc. Mammal., New York.

Slade, L.M. and E.B. Godfrey. 1982. Wild horses. Pages 1089-1098 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Smith, C.C. 1965. Interspecific competition in the genus of tree squirrels, Tamiasciurus. Ph.D. diss. Univ. Washington, Seattle.

Smith, W.P. 1991. Odocoileus virginianus. Mammalian Species No. 388. Am. Soc. Mammal., New York.

Smith, M. H., B. J. Boize, and J. B. Gentry. 1973. Validity of the center of activity concept. Journal of Mammology 54:747-749.

Smolen, M.J. 1981. *Microtus pinetorum*. Mammalian Species No. 147. Am. Soc. Mammal., New York.

Snyder, D.P. 1982. *Tamias striatus*. Mammalian Species No. 168. Am. Soc. Mammal., New York.

Stalling, D.T. 1997. *Reithrodontomys humulis*. Mammalian Species No. 565. Am. Soc. Mammal., New York.

Steele, M.A. 1998. *Tamiasciurus hudsonicus*. Mammalian Species No. 586. Am. Soc. Mammal., New York.

Stone, K.A., G.A. Heidt, P.J. Caster, and M.L. Kennedy. 1997. Using geographic information systems to determine home range of the southern flying squirrel. Am. Midl. Nat. 137:106-111.

Storm, G.L. 1965. Movements and activities of foxes as determined by radio tracking. J. Wildl. Manage. 29:1-12.

Storm, G.L. 1972. Daytime retreats and movements of skunks on farmlands in Illinois. J. Wildl. Manage. 36:31-45.

Stuewer, F.W. 1943. Raccoons: their habits and management in Michigan. Ecol. Monogr. 13:203-257.

Sunquist, M.E. 1989. Comparison of spatial and temporal activity of red foxes and gray foxes in north central Florida. Florida Field Nat. 17:11-18.

Svendsen, G.E. 1982. Weasels. Pages 613-628 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Sweeney, J.M. 1970. Preliminary investigations of a feral hog (*Sus scrofa*) population on the Savannah River Plant, South Carolina. M.S. thesis. Univ. Georgia, Athens.

Sweeney, J.M. and J.R. Sweeney. 1982. Feral Hog. Pages 1099-1113 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Terrell, T.L. 1972. The swamp rabbit (*Sylvilagus aquaticus*) in Indiana. Am. Midl. Nat. 87:283-295.

Thompson, C.E. 1982. *Myotis sodalis*. Mammalian Species No. 163. Am.Soc. Mammal., New York.

Toll, J.E., et al. 1960. Home range, reproduction, and foods of the swamp rabbit in Missouri. Am. Midl. Nat. 63:398-412.

Toweill, D.E. and J.E. Tabor. 1982. River Otter. Pp. 688-703 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Trapp, G.R. and D.L. Hallberg. 1975. Ecology of the gray fox (*Urocyon cinereoargenteus*): a review. Pages 164-178 in M.W. Fox, ed.,The Wild Canids. Van Reinhold Co., New York, 508 p.

Trent, T.T. and O.S. Rongstad. 1974. Home range and survival of cottontail rabbits in southwestern Wisconsin. J. Wildl. Manage. 38:459-472.

Tuttle, M.D. 1976. Population ecology of the gray bat (*Myotis grisescens*): factors influencing growth and survival of the newly volant young. Ecology 57:587-595.

Tuttle, M.D. 1976. Population ecology of the gray bat (*Myotis gresescens*): philopatry, timing and patterns of movement, weight loss during migration, and seasonal adaptive strategies. Univ. Kansas Mus. Nat. Hist. Occas. Pap. 54:1-38.

Tuttle, M.D. 1979. Status, causes of decline, and management of endangered gray bats. J. Wildl. Manage. 43:1-17.

Urban, D. 1970. Raccoon populations, movement patterns, and predation on a managed waterfowl marsh. J. Wildl. Manage. 34:372-382.

Van Vleck, D. B. 1969. Standardization of Microtus home range calculation. J. Mammal. 50:69-80.

Verts, B.J. 1963. Movements and populations of oppossums in a cultivated area. J. Wildl. Manage. 27:127-129.

Verts, B.J. 1967. The biology of the striped skunk. Univ. Illinois Press, Urbana. 218 p.

Virginia Fish and Wildlife Information Service. 1998.http://151.199.74.222/scripts/oicgi.exe/inet_xlate, Virginia Department of Game and Inland Fisheries, Richmond, VA.

Wade-Smith, J. and B.J. Verts. 1982. Mephitis mephitis. Mammalian Species No. 173. Am. Soc. Mammal., New York.

Walker, R. S. 1993. Habitat use, movement, and density of the raccoon (*Procyon lotor*) in a wetland/sandhill mosaic of north-central Florida. University of Florida, Gainesville.

Watkins, L.C. 1972. Nycticeius humeralis. Mammalian Species No. 23. Am. Soc. Mammal., New York.

Webster, W.D., J.K. Jones, and R.J. Baker. 1980. *Lasiurus intermedius*. Mammalian Species No. 132. Am. Soc. Mammal., New York.

Webster, W.D., J.F. Parnell, and W.C. Biggs. Mammals of the Carolinas, Virginia, and Maryland. University of North Carolina Press, Chapel Hill. 255 p.

Wharton, C.H. 1968. Distribution of the red squirrel in Georgia. J. Mammal. 49:153-155.

Whitaker, J.O. 1972. Zapus hudsonius. Mammalian Species No. 11. Am. Soc. Mammal., New York.

Whitaker, J.O. 1974. Cryptotis parva. Mammalisn Species No. 43. Am Soc. Mammal., New York.

Whitaker, J.O. and W.J. Hamilton. 1998. Mammals of the eastern United States. Comstock Pub. Assoc., Ithaca, NY. 583 p.

Whitaker, J.O. and R.E. Wrigley. 1972. *Napaeozapus insignis*. Mammalian Species No. 14. Am. Soc. Mammal., New York.

Wiley, R.W. 1980. *Neotoma floridana*. Mammalian Species No. 139. Am. Soc. Mammal., New York

Wilkins, K.T. 1987. *Lasiurus seminolus*. Mammalian Species No. 280. Am. Soc. Mammal., New York.

Wilkins, K.T. 1989. *Tadarida brasiliensis*. Mammalian Species No. 331. Am. Soc. Mammal., New York.

Willner, G.R. 1982. Nutria. Pages 1059-1076 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Willner, G.R., G.A. Feldhammer, E.E. Zucker, and J.A. Chapman. 1980. *Ondatra zibethicus*. Mammalian Species No. 141. Am.Soc. Mammal., New York.

Wilson, K.A. 1959. The otter in North Carolina. Proc. Southeast Assoc. Fish Game Comm. 13:267-277.

Wilson, D.E. and S. Ruff. 1999. The Smithsonian book of North American mammals. Washington, DC, Smithsonian Inst. Press. 750 p.

Wolfe. J.L. 1982. *Oryzomys palustris*. Mammalian Species No. 176. Am. Soc. Mammal., New York.

Wolfe, J.L. and A.V. Linzey. 1977. *Peromyscus gossypinus*. Mammalian Species No. 70. Am. Soc. Mammal., New York.

Wood, G.W. and T.E. Lynn, Jr. 1977. Wild hogs in southern forests. Southern J. Appl. For. 1:12-17.

Wood, G.W. and R.E. Brenneman. 1977. Research and management of feral hogs on Hobcaw Barony. Pages 23-35 in G.W. Wood, ed., Research and management of wild hog populations: proceedings of a symposium. Belle W. Baruch For. Sci. Inst., Clemson, SC.

Wood, G.W. and R.E. Brenneman. 1980. Feral hog movements and habitat utilization in coastal South Carolina. J. Wildl. Manage. 42:420-427.

Wood, J. E. and E.P. Odum. 1964. A nine-year history of furbearer populations on the AEC Savannah River Plant area. J. Mammal. 45:540-551.

Wood, J.E., D.E. Davis and E.V. Komarek. 1958. The distribution of fox populations in relation to vegetation in Southern Georgia. Ecology 39:160-162.

Woods, C.A., C. Contreras, G. Willner-Chapman, and H.P. Whidden. 1992. *Myocastor coypus*. Mammalian Species No. 398. Am. Soc. Mammal., New York.

Yates, T.L. and R.J. Pedersen. 1982. Moles. Pages 37-51 in J.A. Chapman and G.A. Feldhamer, eds., Wild mammals of North America. Johns Hopkins University Press, Baltimore.

Yates, T.L. and Schmidly, D.J. 1978. *Scalopus aquaticus*. Mammalian Species No. 105. Am. Soc. Mammal., New York.

Yearsley, E.F. and D.E. Samuel. 1980. Use of reclaimed surface mines by foxes in West Virginia. J. Wildl. Manage. 44:729-734.

Zarn, M. 1977. Wild and free-roaming horses: status of present knowledge. U.S. Dept. Inter., Bur. Land Manage., and U.S.D.A. Forest Service, Tech. Note 294. Denver Serv. Center, Denver, CO. 72p.

Zollner, P.A., W.P. Smith, and L.A. Brannon. 2000. Home range use by swamp rabbits (Sylvilagus aquaticus) in a frequently inundated bottomland forest. Am. Midl. Nat. 143:64-69.